

# Medical Records Trolleys & Workstations



# Welcome

## Supplying Medical Furniture & Equipment Since 1953

With over 65 years' experience, Hospital Metalcraft has been designing, manufacturing, sourcing and delivering market leading products that are fit for purpose, easy to use, reliable & above all represent value for money.

This brochure features on our extensive range of Medical Records Trolleys & Workstations, which includes a new range of workstations available as either single or double column & configurable with laptop or Motion C5 holders.

If you require further assistance, please do not hesitate to contact our Customer Service team who are here to help you with your product selection; or alternatively arrange for your Regional Sales Representative to visit and help find a solution that best suits your requirements.



+44 (0)1258 484455



sales@bristolmaid.com



www.bristolmaid.com



Monday to Friday - 8:30am - 5:00pm



Hospital Metalcraft Ltd  
Blandford Heights  
Blandford Forum  
Dorset  
DT11 7TG, UK

## Why Choose Bristol Maid?



### Family business

Hospital Metalcraft Ltd is a family company. We own our factory, production lines and delivery lorries. We continually invest into our staff and the development of new product ranges.



### Healthcare focused

With an extensive portfolio that covers almost every discipline, we have solutions to cater for the demands of the healthcare environment.



### Manufactured in the UK

Bristol Maid™ product is designed and manufactured ourselves in our manufacturing facility with strict quality control at every stage.



### Delivered using our own delivery lorries

Wherever possible we use our own fleet of lorries to ensure that your equipment arrives safe and secure.



### The best value

With over 60 years' experience, we are confident that our products represent excellent value. With a worldwide customer base, the Bristol Maid™ brand is recognised by many thousands of satisfied customers.



### Support you can rely on

Our external sales representatives, customer services team and sales support engineers are here to help you at every stage, from advice with product selection, managing the delivery of your order through to full service and repair support.

# Contents

Medical Records Trolleys...2

Medical Records Workstations...4

Carefile Filing Pockets...6

Laptop Holders...7

Medical Records Trolleys - Tiered...8

Medical Records Transfer Trolleys - Single Box...9

Medical Records Transfer Trolleys - Double Box...10

Medical Records Transfer Trolleys - Double Box, Extending...11

Medical Records Transfer Trolleys - Double Box, Duo...12

Medical Records Cabinets - X-Ray Filing...13

# Medical Records Trolleys



MR210

## Features

- Suitable for use with our popular filing pockets (order separately)
- Locking lid fitted with either a...
  - CAM lock (supplied with 2 keys)
  - Electronic push button lock
- Maximum load on lid 2.0kg
- Document pocket fitted to end/s of trolley
- Optional ring buffers to protect the fabric of the building
- 100mm pressed steel swivel castors

## Options

- ZP010 - Ring Buffers
- CF/F/PK10 - Narrow Foolsap Filing Pockets (x 10)
- CF/X/PK10 - Narrow X-Ray Filing Pockets (x 10)
- CF/XF/PK10 - Narrow X-Ray/Foolsap Filing Pockets (x 10)
- CF/WF/PK10 - Wide Foolsap Filing Pockets (x 10)
- R/C/T - Paper Tabs (x 500)
- R/C/TH - Tab Holders (x 25)
- C004 - 100mm Polymer Castor, 2 x Braking / 2 x Non-Braking (set of 4)
- C005 - 100mm Polymer Castor, 4 x Braking (set of 4)

## Filing Capacity

Trolley Size	Narrow Pockets	Wide Pockets
Small	470mm	380mm
Medium	695mm	N/A
Large	940mm	760mm

Description	CAM Lock	Electronic Push Button Lock	Overall Dimensions	Weight
Small*	MR210	MR210CL	671 x 522 x 1056mm	27.2kg
Medium**	MR310	MR310CL	920 x 522 x 1056mm	34.4kg
Large***	MR410	MR410CL	1240 x 522 x 1056mm	46.4kg

\*When fully open trolley length is approximately 1190mm \*\*When fully open trolley length is approximately 1420mm  
 \*\*\*When fully open trolley length is approximately 2085mm

## Electronic Push Button Lock

- Uses a 10 button keypad and a # button. The # button is hidden beneath the handle when in the locked position
- Easy programming & code change
- Four operating codes with differing levels of authority
  - Master code
  - Sub-master code
  - User code
  - Technician code
- User codes are 4 digits
- Master & sub-master codes are 8 digits
- 15,000 openings on 2 x AAA cells (supplied)
- Low battery warning with failure override using 9v battery across LED's (+/-) & master code



MR410CL

MR310



MRW/S1DXP/CAM



MRW/S1DOC/CAM



MRW/S2D/CAM

### Single Column

Description	CAM Lock	Electronic Push Button Lock	Weight
One Drawer, X-Ray Pigeon Hole	MRW/S1DXP/CAM	MRW/S1DXP/CL	34.2kg
One Drawer, Open Cupboard	MRW/S1DOC/CAM	MRW/S1DOC/CL	34.0kg
Two Drawers	MRW/S2D/CAM	MRW/S2D/CL	40.6kg

### Features

- Constructed from melamine faced chipboard / laminate offering an extremely strong & durable, yet aesthetically pleasing appearance
- Available as single & double column units with...
  - One / two drawers & x-ray pigeon hole (5 / 10 sections)
  - One / two drawers & open cupboard
  - Two / four drawers
- Two locking options
  - CAM lock (supplied with 2 keys)
  - Electronic push button lock
- Where relevant one lock secures all drawers
- Double drawer units fitted with an anti-tilt mechanism preventing two drawers from being opened at the same time
- Max load per drawer 16.0kg
- Push handle & document pocket fitted to end of trolley
- Suitable for use with our filing pockets (order separately)
- Provides 375mm filing capacity per drawer
- Polyurethane ring buffers offer protection to both the trolley & fabric of the building; smooth surfaces assist cleaning
- 100mm pressed steel castors, 2 off braking

### Overall Dimensions

- Single Column - 604 x 623 x 1028mm
- Double Column - 1056 x 623 x 1034mm

### Standard Colours

- Paint - Grey White
- Base / Sides / Back / Centre Panels - Grey White
- Top / Drawer Fronts - Spearmint
- Edging - Grey White



MRW/D2DXP/CL



MRW/D4D/CAM

### Options

- MRW/LHR/S - Laptop Holder, Removable, Swing Arm
- MRW/LHNR/S - Laptop Holder, Non-Removable, Swing Arm
- MRW/LH/C5 - Motion C5 Holder, Swing Arm
- R/MRW/LHR/S - Laptop Holder, Removable, Swing Arm (Retro-Fit)
- R/MRW/LHNR/S - Laptop Holder, Non-Removable, Swing Arm (Retro-Fit)
- R/MRW/LH/C5 - Motion C5 Holder, Swing Arm (Retro-Fit)
- CF/F/PK10 - Narrow Foolscap Filing Pockets (x 10)
- R/C/T - Paper Tabs (x 500)
- R/C/TH - Tab Holders (x 25)
- C004 - 100mm Polymer Castor, 2 x Braking / 2 x Non-Braking (set of 4)
- C005 - 100mm Polymer Castor, 4 x Braking (set of 4)

### Double Column

Description	CAM Lock	Electronic Push Button Lock	Weight
Two Drawers, X-Ray Pigeon Hole	MRW/D2DXP/CAM	MRW/D2DXP/CL	62.0kg
Two Drawers, Open Cupboard	MRW/D2DOC/CAM	MRW/D2DOC/CL	58.0kg
Four Drawers	MRW/D4D/CAM	MRW/D4D/CL	72.0kg



MRW/D2DOC/CL



**Laptop & Motion C5 Holders - See Page 7**



# Carefile Filing Pockets

# Laptop Holders

**New Range**

## Features

- Filing pockets suitable with Bristol Maid™ trolleys and most standard filing suspension systems
- Provides a durable alternative to paper or card types in narrow and wide versions
  - Narrow - 380mm spacings/centres
  - Wide - 470mm spacings/centres
- Fire retardant PVC coated nylon fabric with stainless steel runners
- Unique 'stay-put' tab holders and pink / blue reversible card tabs
- Supplied in packs of ten

## Standard Colours

- Vinyl - Grey



Item	Description	Internal Pocket Dimensions (w x h)
<b>Narrow Pockets</b>		
CF/F/PK10	Foolscap (x 10)	360 x 260mm
CF/X/PK10	X-Ray (x 10)	360 x 460mm
CF/XF/PK10	X-Ray/Foolscap (x 10)	X-ray - 360 x 460mm Foolscap - 360 x 260mm
<b>Wide Pockets</b>		
CF/WF/PK10	Wide Foolscap (x 10)	450 x 260mm
<b>Paper Tabs &amp; Tab Holders</b>		
R/C/T	Paper Tabs (x 500)	
R/C/TH	Tab Holders (x 25)	

## Features

- Three section swing arm offering height, rotation & angle adjustment
- Compatible with the MRW range of medical record workstations
- Laptop holder fitted to an upright bolted to the rear left hand corner of the trolley (upright & holder supplied for customer to fit)
- Laptop can be secured using a security clamp (supplied)
- Design allows easy access to laptop ports
- Retrofit model available, compatible with existing medical record workstations

## Removable, Swing Arm

- Adjustable to accept laptops 280-435 x 22mm (w x h)
- Laptop supported in a cradle fitted with adjustable wing arms

## Non-Removable, Swing Arm

- Adjustable to accept laptops 280-435 x 22mm (w x h)
- Laptop supported in a cradle fitted with a steel mounting bracket that can be fixed using either nylock or wing nuts


## Motion C5 Holder, Swing Arm

- Motion C5 holder fitted to an upright bolted to the rear left hand corner of the trolley (upright & holder supplied for customer to fit)
- Tablet located in a RAM-In-Motion passive dock allowing for easy insertion & removal

## Standard Colours

- Paint - Grey White

Item	Description	Weight
<b>Removeable, Swing Arm</b>		
MRW/LHR/S	Laptop Holder - Removable, Swing Arm	3.7kg
R/MRW/LHR/S	Laptop Holder - Removable, Swing Arm (Retro-Fit)	3.7kg
<b>Non-Removable, Swing Arm</b>		
MRW/LHNR/S	Laptop Holder - Non-Removable, Swing Arm	5.0kg
R/MRW/LHNR/S	Laptop Holder - Non-Removable, Swing Arm (Retro-Fit)	5.0kg
<b>Motion C5 Holder, Swing Arm</b>		
MRW/LH/C5	Motion C5 Holder - Swing Arm	2.7kg
R/MRW/LH/C5	Motion C5 Holder - Retrofit, Swing Arm	2.7kg



## Medical Records Trolleys - Tiered



### Features

- Suitable for use with...
  - Case note files
  - Ring binders
  - Lever arch files
- Max file height 360mm (see below for filing capacity)
- Available with
  - Open front
  - Hinged door/s fitted with an electronic push button lock
- Shelves slope to the rear of the trolley to help retain contents
- Each trolley is supplied with adjustable dividers
  - Small Trolleys - 4 dividers
  - Large Trolleys - 8 dividers
- Optional ring buffers to protect the fabric of the building
- 100mm pressed steel castors

### Standard Colours

- Paint - Spearmint/Grey
- Top - Spearmint

### Options

- ZP010 - Ring Buffers
- C004 - 100mm Polymer Castor, 2 x Braking / 2 x Non-Braking (set of 4)
- C005 - 100mm Polymer Castor, 4 x Braking (set of 4)

	Size / Filing Capacity	
	Small - 890mm	Large - 1490mm
Case Note Files (235 x 50 x 320mm)	18	30
Ring Binders (250 x 40 x 315mm)	22	44
Lever Arch Files (290 x 75 x 315mm)	10	12

Item	Description	Overall Dimensions (w x d x h)	Weight
<b>Small</b>			
MR145	Small - Open Front	526 x 426 x 1005mm	12.5kg
MR145CL	Small - Hinged Door, Electronic Push Button Lock	531 x 464 x 1005mm	16.8kg
<b>Large</b>			
MR150	Large - Open Front	981 x 426 x 1005mm	23.5kg
MR150CL	Large - Hinged Door, Electronic Push Button Lock	981 x 464 x 1005mm	32.0kg

## Medical Records Transfer Trolleys - Single Box

### Features

- Suitable for use the transportation of bulk case notes & X-rays
- Records stored in an upper box - internal dimensions 600 x 450 x 250mm (bottom of box positioned 520mm to floor)
- Lower tray
- Available with a locking lid fitted with either a CAM or electronic push button lock providing secure storage patient records
- Trolley max load 50kg
- Optional ring buffers to protect the fabric of the building
- 100mm pressed steel castors

### Overall Dimensions (w x d x h)

- 817 x 523 x 975mm

### Standard Colours

- Paint - Spearmint/Grey

### Options

- ZP010 - Ring Buffers



Item	Description	Weight
<b>Open</b>		
MR130	Open Top	16.0kg
<b>Locking Lid</b>		
MR140	Locking Lid, CAM Lock	19.0kg
MR140CL	Locking Lid, Electronic Push Button Lock	19.0kg



# Medical Records Transfer Trolleys - Double Box



### Features

- Trolley for the transportation of bulk case notes & x-rays
- Records stored in two removable boxes - internal dimensions 535 x 344 x 290mm
  - Lower - Top of box 440mm to floor
  - Upper - Top of box 975mm to floor
- Clearance between upper & lower boxes, 235mm
- Max load (per box) 25kg
- Optional ring buffers to protect the fabric of the building
- 100mm pressed steel castors

### Standard Colours

- Paint - Spearmint/Grey

### Options

- ZP010 - Ring Buffers
- 2PLCO327 - Spare/Replacement Box

Item	Description	Overall Dimensions (w x d x h)	Weight
MR105	Double Box	940 x 425 x 1040mm	24.0kg

# Medical Records Transfer Trolleys - Double Box, Extending



### Features

- Trolley for the transportation of bulk case notes & x-rays
- Records stored in two removable boxes - internal dimensions 568 x 368 x 316mm
  - Lower - Top of box 440mm to floor
  - Upper - Top of box 975mm to floor
- Clearance between upper & lower boxes, 235mm
- Max load (per box) 25kg
- Optional ring buffers to protect the fabric of the building
- 100mm pressed steel castors

### Standard Colours

- Paint - Spearmint/Grey

### Options

- ZP010 - Ring Buffers
- 2PLCO271 - Spare/Replacement Box

Item	Description	Overall Dimensions (w x d x h)	Weight
MR110	Double Box, Extending	875 x 598 x 1040mm	31.6kg

## Medical Records Transfer Trolleys - Double Box, Duo



### Features

- Unique 'two' trolley system for the bulk transportation of case notes & x-rays
- Records stored in fixed boxes - internal dimensions 600 x 420 x 255mm
- Allows trolleys to be loaded independently, before being linked together & transported
- Trolleys link together using a simple clevis pin
- Max load (per box) 25kg
- 100mm pressed steel castors (2 off braking) & 200mm wheels (braking)

### Standard Colours

- Paint - Spearmint/Grey

Item	Description	Overall Dimensions (w x d x h)	Weight
MR120	Double Box, Duo	866 x 522 x 970mm	34.6kg

## Medical Records Cabinets - X-Ray Filing

### Features

- Lockable x-ray filing cabinet (complete with dividers)
- Three drawers fitted with heavy duty ball bearing slides
- Anti-tilt device prevents more than one drawer being opened at the same time
- Offers total filing capacity of 1740mm, 580mm per drawer\*

\*Suspended filing is not compatible with this unit

### Overall Dimensions

- 590 x 660 x 1320mm

### Standard Colours

- Paint - Grey



Item	Description	Weight
5AM3XRAY	X-Ray Filing Cabinet	75.0kg



# Meet The Team

Here at Bristol Maid™ our dedicated sales and customer service team are committed to finding a solution that works for you. Whether you require a full ward refurbishment or just simply some advice on our products, we are here to help. Refer to the map on the right for your regional sales representative or alternatively contact our friendly customer services team....

## Sales Director



**Ian Farnfield**  
01258 451338  
ifarnfield@bristolmaid.com

## National Sales Manager



**Steve Poller**  
07711 095899  
spoller@bristolmaid.com

## Customer Services



**Sammy Foord**  
Customer Service Team Leader  
sfoord@bristolmaid.com



**Mark Champion**  
Assistant Customer Service Team Leader  
mchampion@bristolmaid.com



**Richard Harrall**  
Customer Service Coordinator  
rharrall@bristolmaid.com



**Sam Symes**  
Customer Service Coordinator  
ssymes@bristolmaid.com



**Sophie Williams**  
Customer Service Coordinator  
swilliams@bristolmaid.com



**Stacey Finch**  
Customer Service Coordinator  
sfinch@bristolmaid.com



**David Morton-Jones**  
Export Coordinator  
+44 (0)1258 484468  
dmortonjones@bristolmaid.com

## Technical Services Manager



**Paul Open**  
popen@bristolmaid.com

## Sales Support



**Ian Mills**  
Sales Support Engineer (South)  
07921 473241  
imills@bristolmaid.com



**Eric Hornby**  
Sales Support Engineer (North)  
07702 000953  
ehornby@bristolmaid.com

# Sales Representatives

**Scotland, N.Ireland & Northumberland**  
07768 057675  
scotland@bristolmaid.com

**North**  
07790 916052  
nwest@bristolmaid.com

**Midlands**  
07887 534755  
midlands@bristolmaid.com


**London**  
07725 543862  
london@bristolmaid.com

**South East**  
07500 039301  
seast@bristolmaid.com

**South & South West**  
07876 441477  
sswest@bristolmaid.com



# International Sales



Bristol Maid's policy is to work together with selected partners who are able to support and advise in the selection of appropriate 'Healthcare Solutions', also providing a high level of customer care and portraying our traditional values. Our continued success and growth within international markets has created a demand for additional partners.

We are seeking to encourage applications from interested parties. If you, or your organisation have the qualities we are seeking please contact us.



**Chris Morgan**  
Export Sales Manager  
Tel: +44 7917 207617  
DDI: +44 (0)1258 484430  
Email: cmorgan@bristolmaid.com



Bristol Maid™  
Hospital Metalcraft™ Limited 



**Hospital Metalcraft Ltd**  
Blandford Heights, Blandford Forum  
Dorset, DT11 7TG, UK



+44(0)1258 484455



+44(0)1258 455056



[sales@bristolmaid.com](mailto:sales@bristolmaid.com)



[www.bristolmaid.com](http://www.bristolmaid.com)



MKT-180731-173-1