
PHARMACY EQUIPMENT Direct™
Hospital Metalcraft™ Limited


Pharmacy & Care Home Product Catalogue



Drug & Medicine Trolleys



Furniture & Equipment



Drug & Medicine Cabinets



Pharmacy Refrigerators

MADE IN BRITAIN

Scan here to visit our website

About Pharmacy Equipment Direct...

Pharmacy Equipment Direct was established in 2012 to satisfy the needs of the Independent Pharmacist throughout the UK and Southern Ireland. Manufactured by Hospital Metalcraft Ltd who have been supplying the highly regarded Bristol Maid portfolio of medical furniture & equipment for 70 years, one of the UK's longest standing suppliers of furniture & equipment to the Healthcare Sector.

This brochure features equipment that has been developed specifically for the storage & dispensing of drugs & medicines within care & nursing homes. With solutions available to cover all popular dispensing methods we are confident that we have a solution to suit your needs.

If you require further assistance, please do not hesitate to contact our Customer Service team who are here to provide advice with product selection, technical support and after sales service.

EXPRESS DELIVERY



Express Delivery available on all products marked with our lorry.

Order before 12:00pm on Thursday for delivery the following week.*

*Subject to Availablity

+44(0)1258 484488 sales@pharmacyequipmentdirect.com www.pharmacyequipmentdirect.com Monday to Friday 8:30am to 5:00pm

Contents

Drug & Medicine Cabinets

Residents Own Medication Cabinets	2
Pharmacy Cabinets	4
Controlled Drug Cabinets	8
Light Unit	9
Tablet Counter	9

Drug & Medicine Trolleys

Original Packaging Compatible Trolleys	10
Blister Pack Compatible Trolleys (MDS)	12
Medinoxx Compatible Trolleys	14
Biodose® & MultiMeds™ Compatible Trolleys	16
Roll Type Pouch Packs Compatible Trolleys	18
Security Clamp	19

Pharmacy Refrigerators

Pharmacy & Vaccine Refrigerators	20
Pharmacy & Vaccine Carriers - Portable	23

Furniture & Equipment

Caretray Trolleys	24
Dressing Trolleys	26
General Purpose Trolleys	26
Patient Seating	28
Tech Seating	29
Mobile Screens	30
Examination Couch	31
Removable Body Sackholders	32
Scales	34
Patient Handling	40









Residents Own Medication Cabinets - Wooden, Blister Pack Compatible (MDS)

Wooden cabinets suitable for the storage of MDS frames with dividers & name cards.

Features

- Frames supported on hooks mounted to the door of the cabinet (frames not supplied)
- Fitted with a CAM lock (supplied with two keys)
- Optional master keys available
- Removable shelf (RMC/W/BP2 only)
- Melamine faced chipboard
- Woodgrain finish

Options

- Master Keys



RMC/W/BP1
(Frames not Supplied)



RMC/W/BP2
(Frames not Supplied)

Item	Description	Overall Dimensions (w x d x h)	Weight	
RMC/W/BP1	Residents Own Medication Cabinet - Wooden, Blister Pack, 1 Frame	325 x 245 x 420mm	8.0kg	5 DAY DELIVERY
RMC/W/BP2	Residents Own Medication Cabinet - Wooden, Blister Pack, 2 Frames	325 x 245 x 775mm	12.0kg	5 DAY DELIVERY

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Residents Own Medication Cabinets - Metal, Biodose®, Medinoxx & MultiMeds™ Compatible

Metal cabinet suitable for the storage of the Biodose®, Medinoxx (7 x 4 medi-trays) & MultiMeds™ monitored dosage systems.

Features

- Trays stack on top of each other (trays not supplied)
- Area for the storage of bottles (105mm diameter x 250mm high)
- Fitted with a CAM lock (supplied with two keys)
- Optional master keys available
- 0.9mm mild steel
- Spot welded construction
- Finished in white epoxy polyester paint

Options

- Master Keys





Item	Description	Tray Capacity	Overall Dimensions (w x d x h)	Weight
RMC/M/BD10	Residents Own Medication Cabinet - Metal	8 Trays	480 x 240 x 315mm	5.0kg

Pharmacy Cabinets

Single point locking cabinet suitable for the storage of drugs & medicines.
Designed to meet BS2881:1989 (security level one).

Features

- Fitted with a key retaining seven lever lock conforming to BS3621 (supplied with two keys)
- 0.9mm mild steel
- Spot welded construction
- Two removable & adjustable shelves
- Finished in white epoxy polyester paint

Options

- PCLU - Light Unit (see page 9)



PCS636



PCS639

Item	Description	Shelves	Overall Dimensions (w x d x h)	Compatible CD Cabinets	Weight
PCS636	Pharmacy Cabinet - Single Door	2	600 x 300 x 600mm	CD17, CD27	33.9kg
PCS639	Pharmacy Cabinet - Single Door	3	600 x 300 x 900mm	CD17, CD27, CD50	38.0kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Security of Controlled Drugs & Medicines

Health-Care Premises must ensure that Drugs and Medicines are stored securely. Pharmacy Equipment Direct cabinets are designed to conform to all relevant legislation.

- The Misuse of Drugs (Safe Custody) Regulations 1973
- BS 3621:2007 Thief resistant lock assembly
- 1.5mm sheet steel construction
- Anti-pick and drill, key retaining seven lever lock compliant with BS3621
- Continuously welded along all joins
- All edges lapped inwards around the margins of apertures and around the edges of doors and service hatch covers in such a manner as to be inaccessible from the outside
- Door to have an internal flange or rebate running the entire length of the door to prevent access without unlocking, in the event of damage to the hinge
- Lock bolt to be protected against cutting or manipulation from outside
- Fixed to the wall or floor using at least two rag-bolts passing through an internal anchor plate of mild steel of at least 3mm thickness

Drugs & Medicines Storage

- BS 2881:1989 Specification for Cupboards for the Storage of Medicines in Health Care Premises
- BS 3621:2007 Thief resistant lock assembly
- 0.9mm sheet steel construction
- Anti-pick and drill, key retaining seven lever lock compliant with BS3621



PCD839



PCS836

Item	Description	Shelves	Overall Dimensions (w x d x h)	Compatible CD Cabinets	Weight
PCD836	Pharmacy Cabinet - Double Door	4	800 x 300 x 600mm	CD17, CD27	40.9kg
PCD839	Pharmacy Cabinet - Double Door	6	800 x 300 x 900mm	CD17, CD27, CD50	36.0kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost



PCD1039

Item	Description	Shelves	Overall Dimensions (w x d x h)	Compatible CD Cabinets	Weight
PCD1039	Pharmacy Cabinet - Double Door	6	1000 x 300 x 900mm	CD17, CD27, CD50	41.0kg

Controlled Drug Cabinets

Single point locking cabinets suitable for the storage of controlled drugs. Designed to meet the requirements of 'The Misuse of Drugs (Safe Custody) Regulations 1973'.

Features

- Single point locking cabinet suitable for the storage of controlled drugs
- Fitted with a key retaining seven lever lock conforming to BS3621 (supplied with two keys)
- Designed to Meet the Statutory Requirement for the Storage of Controlled Drugs, 'The Misuse of Drugs (Safe Custody) Regulations 1973'
- 1.5mm mild steel
- Seamlessly welded construction
- Reinforced fixing points
- Return on door prevents removal in the event of attack to the hinge
- Removable & adjustable shelves
- Finished in white epoxy polyester paint



CD17



CD27



CD50

Item	Description	Shelves	Overall Dimensions (w x d x h)	Weight	
CD17	Controlled Drug Cabinet - 17 Litre	1	250 x 270 x 300mm	8.0kg	5 DAY DELIVERY
CD27	Controlled Drug Cabinet - 27 Litre	1	335 x 270 x 300mm	9.0kg	5 DAY DELIVERY
CD50	Controlled Drug Cabinet - 50 Litre	2	335 x 270 x 550mm	17.0kg	5 DAY DELIVERY

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Light Unit

Features

- Suitable for use with Pharmacy Cabinets
- Provides a visual indication when the cabinet is open
- LED illuminates green when the door is closed, red when the door is open & flashes red when open for 2 ½ minutes
- Operates using a door activated micro-switch connected to a 12v DC LED lighting/warning system with volt-free contact to allow connection to light/ nurse call systems. Requires 100v-240v ~, 50Hz -60Hz, 0.3A Mains supply. Supplied fitted with a UK 3 pin plug. CE marked & conforms to the low voltage directives 73/23/EEC & 89/336/EC
- Lighting transformer casing adds 105mm to the overall height
- Supplied separately for customer to fit



Item	Description	Weight
PCLU	Light Unit	0.8kg

Tablet Counter

Features

- Triangular stainless steel tablet counter
- Etched legend to interpret rows (max 22) into number of tablets



Item	Description	Weight
PE/30	Tablet Counter	0.15kg

Unit Dosage Trolleys - Original Packaging Compatible

Single point locking trolley suitable for the storage & dispensing of drugs & medicines in their original packaging using individual compartments dedicated for each resident.

Features

- Available with either an electronic push button or high security bolt lock (supplied with two keys)
- Trolleys supplied with 4 / 8 trays subdivided into equal compartments (label holders provided for each compartment)
  - 24 Compartment - Trolley supplied with 4 trays subdivided into 6 equal compartments, each compartment - 190mm x 132mm x 220mm (5.5 Litres)
  - 32 Compartment - Trolley supplied with 8 trays subdivided into 4 equal compartments, each compartment - 192mm x 143mm x 220mm (6.1 Litres)
- Upper work surface, grey with blue contrast edging
- Push handles incorporate integral buffers to protect the fabric of the building
- Plastic debris bin & bracket
- Finished in grey epoxy polyester paint
- Security wall clamp, allows the trolley to be secured to the 'fabric of the building' when not in use (sold separately)
- 125mm pressed steel castors

Overall Dimensions (w x d x h)

- Single Door - 627 x 579 x 1165mm
- Double Door - 820 x 579 x 1165mm

Options / Accessories

- 2PLCO470 replacement divider kit compatible with UDTS/HSB/OP32
- 2PLCO471 replacement divider kit compatible with UDTD/HSB/OP24
- MT/1/6F - Security Clamp (See page 19)



UDTS/HSB/OP24

Single Door

Item	Description	Weight	
UDTS/EPB/OP24	Electronic Push Button Lock - Unit Dosage Trolley - Single Door, Original Packaging, 24 Compartments	56.1kg	5 DAY DELIVERY
UDTS/HSB/OP24	High Security Bolt Lock - Unit Dosage Trolley - Single Door, Original Packaging, 24 Compartments	56.1kg	5 DAY DELIVERY

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost



UDTD/HSB/OP32

Trays tilt to assist access to contents



UDTS/HSB/OP24



UDTD/HSB/OP32

Double Door

Item	Description	Weight	
UDTD/EPB/OP32	Electronic Push Button Lock - Unit Dosage Trolley - Double Door, Original Packaging, 32 Compartments	69.8kg	5 DAY DELIVERY
UDTD/HSB/OP32	High Security Bolt Lock - Unit Dosage Trolley - Double Door, Original Packaging, 32 Compartments	69.8kg	5 DAY DELIVERY

Unit Dosage Trolleys - Blister Pack Compatible (MDS)

Single point locking trolleys suitable for the storage & dispensing of the blister packed monitored dosage system (MDS).

Features

- Frames supported on either a fixed panel mounted to the inside rear of the trolley or slide out shelves (frames not supplied)
- Available with either an electronic push button or high security bolt lock (supplied with two keys)
- Upper work surface, grey with blue contrast edging
- Push handles incorporate integral buffers to protect the fabric of the building
- Adjustable door shelves
- Fold over MDS dispensing surface
- Plastic debris bin & bracket
- Finished in grey epoxy polyester paint
- Security wall clamp, allows the trolley to be secured to the 'fabric of the building' when not in use (sold separately)
- 125mm pressed steel castors

Overall Dimensions (w x d x h)

- Single Door - 511 x 542 x 1067mm
- Double Door - 711 x 568 x 1067mm

Options / Accessories

- MT/1/6F - Security Clamp (See page 19)



UDTS/HSB/BP4
(Frames not supplied)

Single Door

Item	Description	Weight	
UDTS/EPB/BP4	Electronic Push Button Lock - Unit Dosage Trolley - Single Door, Blister Pack, 4 Frames	31.0kg	5 DAY DELIVERY
UDTS/HSB/BP4	High Security Bolt Lock - Unit Dosage Trolley - Single Door, Blister Pack, 4 Frames	31.0kg	5 DAY DELIVERY

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost



UDTD/HSB/BP9
(Frames not supplied)



Electronic Push Button Lock



Debris Bin

Double Door

Item	Description	Weight
UDTD/EPB/BP9	Electronic Push Button Lock - Unit Dosage Trolley - Double Door, Blister Pack, 9 Frames	42.0kg
UDTD/HSB/BP0	High Security Bolt Lock - Unit Dosage Trolley - Double Door, Blister Pack, 9 Frames	42.0kg

Unit Dosage Trolleys - Medinoxx Compatible

Single point locking trolleys suitable for the storage and dispensing of the Medinoxx monitored dosage system.

Features

- Suitable for 7 x 4 Medinoxx medi-trays
- Also compatible with Biodose® & Multimeds trays
- Available with either an electronic push button or high security bolt lock (supplied with two keys)
- Upper work surface, grey with blue contrast edging
- Push handles incorporate integral buffers to protect the fabric of the building
- Adjustable door shelves
- Plastic debris bin & bracket
- Finished in grey epoxy polyester paint
- Security wall clamp, allows the trolley to be secured to the 'fabric of the building' when not in use (sold separately)
- 125mm pressed steel castors

Overall Dimensions (w x d x h)

- Single Door - 581 x 568 x 1072mm
- Double Door - 812 x 568 x 1072mm

Options / Accessories

- MT/1/6F - Security Clamp (See page 19)



UDTS/HSB/MX40
(Trays not supplied)

Single Door

Item	Description	Weight
UDTS/EPB/MX40	Electronic Push Button Lock - Unit Dosage Trolley - Single Door, Medinoxx, 40 Trays	41.4kg
UDTS/HSB/MX40	High Security Bolt Lock - Unit Dosage Trolley - Single Door, Medinoxx, 40 Trays	41.4kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost



UDTD/HSB/MX60
(Trays not supplied)



Electronic Push Button Lock



Debris Bin

Double Door

Item	Description	Weight
UDTD/EPB/MX60	Electronic Push Button Lock - Unit Dosage Trolley - Double Door, Medinoxx, 60 Trays	55.2kg
UDTD/HSB/MX60	High Security Bolt Lock - Unit Dosage Trolley - Double Door, Medinoxx, 60 Trays	55.2kg

Unit Dosage Trolleys - Biodose® & MultiMeds™ Compatible

Single point locking trolleys suitable for the storage & dispensing of the Biodose® & MultiMeds monitored dosage system.

Features

- Trays supported on fixed runners (trays not supplied)
- Available with either an electronic push button or high security bolt lock (supplied with two keys)
- Upper work surface, grey with blue contrast edging
- Push handles incorporate integral buffers to protect the fabric of the building
- Adjustable door shelves
- Plastic debris bin & bracket
- Finished in grey epoxy polyester paint
- Security wall clamp, allows the trolley to be secured to the 'fabric of the building' when not in use (sold separately)
- 125mm pressed steel castors

Overall Dimensions (w x d x h)

- Single Door - 581 x 568 x 1067mm
- Double Door - 812 x 568 x 1067mm

Options / Accessories

- MT/1/6F - Security Clamp (See page 19)



UDTS/EPB/BD46
(Trays not supplied)

Single Door

Item	Description	Weight
UDTS/EPB/BD46	Electronic Push Button Lock - Unit Dosage Trolley - Single Door, Biodose® & MultiMeds™, 46 Trays	42.0kg
UDTS/HSB/BD46	High Security Bolt Lock - Unit Dosage Trolley - Single Door, Biodose® & MultiMeds™, 46 Trays	42.0kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost



UDTD/HSB/BD69
(Trays not supplied)



Electronic Push Button Lock



Debris Bin

Double Door

Item	Description	Weight	
UDTD/EPB/BD69	Electronic Push Button Lock - Unit Dosage Trolley - Double Door, Biodose® & MultiMeds™, 69 Trays	53.0kg	5 DAY DELIVERY
UDTD/HSB/BD69	High Security Bolt Lock - Unit Dosage Trolley - Double Door, Biodose® & MultiMeds™, 69 Trays	53.0kg	5 DAY DELIVERY

Unit Dosage Trolleys - Roll Type Pouch Pack Compatible

Single point locking trolley suitable for the storage & dispensing of drugs and medicines using roll type pouch packs.

Features

- Twenty four trays supported on adjustable shelves (roll type pouch pack cassettes not supplied)
- Available with either an electronic push button or high security bolt lock (supplied with two keys)
- Tray capacity w 115 x d 266 x h 95mm (internal)
- Upper work surface, grey with blue contrast edging
- Push handles incorporate integral buffers to protect the fabric of the building
- Adjustable door shelves
- Plastic debris bin & bracket
- Finished in grey epoxy polyester paint
- Security wall clamp, allows the trolley to be secured to the 'fabric of the building' when not in use (sold separately)
- 125mm pressed steel castors

Overall Dimensions (w x d x h)

- Double Door - 711 x 568 x 1067mm

Options / Accessories

- 2PLCO376 replacement trays
- 2PLCO377 replacement divider kit compatible with UDTS/HSB/OP24
- MT/1/6F - Security Clamp (See page 19)



UDTD/HSB/RP24



Tray shown with roll type pouch pack (not included)

Double Door

Item	Description	Weight	
UDTD/EPB/RP24	Electronic Push Button Lock - Unit Dosage Trolley - Double Door, Roll Type Pouch Packs, 24 Trays	57.0kg	5 DAY DELIVERY
UDTD/HSB/RP24	High Security Bolt Lock - Unit Dosage Trolley - Double Door, Roll Type Pouch Packs, 24 Trays	57.0kg	5 DAY DELIVERY

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost


Security Clamp

Features

- Allows the trolley to be secured to the ‘fabric of the building’
- Requires no additional keys, utilises the trolleys own locking system
- One end is secured to the wall, the ‘hook shaped’ end is trapped by the door of the trolley when closed & locked
- Recommended wall fitting height approx 1000mm

Overall Dimensions (w x d x h)


- Length - 950mm



Important Note - Security Clamps
It is a requirement that when the trolley is not in use it should be secured to the ‘fabric of the building’. Not only does this prevent casual theft, i.e. trolleys being pushed to an isolated area & broken into, but also encourages good nursing practice, giving the trolley a “permanent home”.
“Safe & Secure Handling of Medicines - Royal Pharmaceutical Society, GB-March 2005”

Item	Description	Weight
MT/1/6F	Security Clamp	0.75kg

Fitting Your Security Clamp



One end of the security clamp is secured to the wall



The ‘hook shaped’ end is trapped by the door when closed & locked



Pharmacy & Vaccine Refrigerators - Bench & Wall Mounting, Solid Door

Features

- Designed for the safe storage of cold chain medicines in line with Public England guidance
- Latest IntelliCold® 24-Range Technology
- Available as bench top, under bench, wall fitting or free-standing
- Temperature range +2°C to +8°C
- Three independent temperature probes provide advanced protection, including low-temperate safeguard that prevents freezing.
- IntelliCold® touch screen controller delivers accurate timekeeping, intelligent event logging and Bluetooth connectivity
- Fast access to data via the Labcold Connect Android App.
- Min / max temperature control, display & recording
- Displays temperature from probes
- High / low temperature alarm
- Door open alarm
- Mains failure alarm (requires batteries)
- Internal light
- Access port & remote alarm contacts
- Fan assisted cooling
- Off cycle auto-defrost
- Low GWP environmentally friendly refrigerant
- Self-closing doors, with door open alarm
- Fan assisted cooling

Available with either…

- CAM Lock - Supplied with two keys
- Digital Push Button Lock - Programmable four-digit code
- Adjustable shelves
- Full UKAS calibration service (optional)
- Five-Year Warranty



5RLDF0224



5RLDF0124

Item	Description	Dimensions (w x d x h)	Shelves	Weight
5RLDF0124	Bench / Wall Mounting	450 x 510 x 540mm (36 Litres)	2	30.0kg
5RLDF0224	Bench / Wall Mounting	450 x 510 x 710mm (66 Litres)	3	34.0kg

CLAIM YOUR FREE 5 YEAR WARRANTY LABCOLD

Powered by IntelliCold™ Technology

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Pharmacy & Vaccine Refrigerators - Freestanding, Solid & Glass Doors

Features

- Designed for the safe storage of cold chain medicines in line with Public England guidance
- Latest IntelliCold® 24-Range Technology
- Temperature range +2°C to +8°C
- Three independent temperature probes provide advanced protection, including low-temperate safeguard that prevents freezing.
- IntelliCold® touch screen controller delivers accurate timekeeping, intelligent event logging and Bluetooth connectivity
- Fast access to data via the Labcold Connect Android App.
- Min / max temperature control, display & recording
- Displays temperature from probes
- High / low temperature alarm
- Door open alarm
- Mains failure alarm (requires batteries)
- Internal light
- Access port & remote alarm contacts
- Fan assisted cooling
- Off cycle auto-defrost
- Low GWP environmentally friendly refrigerant
- Self-closing doors, with door open alarm

Available with either…

- CAM Lock - Supplied with two keys
- Digital Push Button Lock - Programmable four-digit code
- Adjustable shelves
- Full UKAS calibration service (optional)
- Five-Year Warranty

CE



5RLDF1024



5RLDG1524

Item	Description	Dimensions (w x d x h)	Shelves	Weight
5RLDF1024	Free Standing - Solid Door	600 x 700 x 1510mm (340 Litres)	6	79.0kg
5RLDF1524	Free Standing - Solid Door	600 x 700 x 1875mm (440 Litres)	6	93.0kg
5RLDG1024	Free Standing - Glass Door	600 x 700 x 1510mm (340 Litres)	6	91.0kg
5RLDG1524	Free Standing - Glass Door	600 x 700 x 1875mm (440 Litres)	6	105.0kg

CLAIM YOUR FREE 5 YEAR WARRANTY LABCOLD

Powered by IntelliCold™ Technology

Advanced Pharmacy Refrigerators - Freestanding, Solid & Glass Doors

Features

- Compliant with the Department of Health Green Book
- Recommendations in the General Pharmaceutical Council Standards
- Royal College of Veterinary Surgeons Guidelines
- Designed specifically to provide close temperature control for temperature sensitive medicines in the pharmacy
- Temperature range +2°C to +8°C
- Precise microprocessor temperature control...
  - Digital temperature control & display
  - High / low temperature alarm
  - Door open alarm
- Internal lights
- Access port & remote alarm contacts (optional during manufacture)
- Fan assisted cooling
- Auto-defrost
- Low GWP environmentally friendly refrigerant
- Self-closing doors fitted with a CAM Lock - Supplied with two keys
- Hygienic stainless-steel interior
- Adjustable anti-tilt stainless-steel shelves (70kg capacity)
- Lockable castors
- Full UKAS calibration service (optional)



5RPFR21043



5RPFG44043

Item	Description	Dimensions (w x d x h)	Shelves	Weight
5RPFR21043	Free Standing - Solid Door	710 x 800 x 1990mm (650 Litres)	4	138.0kg
5RPFR44043	Free Standing - Solid Doors	1420 x 800 x 1990mm (1300 Litres)	8	215.0kg
5RPFG21043	Free Standing - Glass Door	710 x 800 x 1990mm (650 Litres)	4	125.0kg
5RPFG44043	Free Standing - Glass Doors	1420 x 800 x 1990mm (1300 Litres)	8	195.0kg

Powered by IntelliCold™ Technology

CLAIM YOUR FREE 2 YEAR WARRANTY
LABCOLD

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Pharmacy & Vaccine Carriers - Portable

Features

- Can be calibrated in accordance with the Department of Health Green Book
- Designed specifically for the safe transport of vaccines & pharmaceuticals (unsuitable for blood products)
- Temperature range +2°C to +10°C
- Supplied with two power leads...
  - Mains - 240-Volt DC
  - Vehicular - 12-Volt AC
- Lightweight & easily transportable
- Safe thermoelectric solid state cooling system
- Digital temperature display
- Easy digital temperature adjustment
- Tough plastic exterior, powder coated interior
- Divider to retain contents in place during transit
- Moulded feet for stability
- Shoulder strap
- Suitable for use with data loggers

Dimensions (w x d x h)

Internal Dimensions...

- 5RPDF0012F - 200 x 335 x 165mm
- 5RPDF0019F - 245 x 385 x 185mm



5RPDF0012F

CE



5RPDF0012F



5RPDF0019F

Item	Description	Dimensions (w x d x h)	Weight
5RPDF0012F	Refrigerated Pharmacy & Vaccine Carrier - Portable, 12 Litre	430 x 295 x 295mm	4.6kg
5RPDF0019F	Refrigerated Pharmacy & Vaccine Carrier - Portable, 19 Litre	465 x 320 x 355mm	6.5kg

Caretray Trolley - Mild Steel, Low Level

Features

- Single column easy clean tray trolleys suitable for the storage of disposables & equipment
- One piece welded frame (requires no on-site assembly)
- Quick & complete removal of top & side panels provides access to all areas for cleaning
- One piece moulded top with raised edges on three sides & integral rim at the front to contain any spillages (max load 30kg)
- One piece moulded side panels incorporate runners with positive stops, preventing trays from being accidentally withdrawn
- 100/150mm deep translucent high impact plastic trays feature an integral handle with plastic clip on label cover, (max load per tray 5kg)
- Divider sets available offering nine compartments per tray (adjustable)
- Finished in Spearmint epoxy polyester paint
- 75mm polypropylene/thermoplastic rubber twin wheel castors

Options

- TT/DIV/S - 100mm Tray Divider Set (Set of four dividers)
- TT/DIV/D - 150mm Tray Divider Set (Set of four dividers)
- TT/LAB - Coloured Label Strips (Set of 6 sheets)



TTM1/08/3S1D

Item	Description	Overall Dimensions (w x d x h)	Weight
TTM1/08/3S1D	Mild Steel, Low Level - 3 x 100mm, 1 x 150mm Trays	545 x 545 x 757mm	18.5kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Caretray Trolley - Mild Steel, Standard Level

Features

- Single column easy clean tray trolleys suitable for the storage of disposables & equipment
- One piece welded frame (requires no on-site assembly)
- Quick & complete removal of top & side panels provides access to all areas for cleaning
- One piece moulded top with raised edges on three sides & integral rim at the front to contain any spillages (max load 30kg)
- One piece moulded side panels incorporate runners with positive stops, preventing trays from being accidentally withdrawn
- 100/150mm deep translucent high impact plastic trays feature an integral handle with plastic clip on label cover, (max load per tray 5kg)
- Divider sets available offering nine compartments per tray (adjustable)
- Finished in Spearmint epoxy polyester paint
- 75mm polypropylene/thermoplastic rubber twin wheel castors

Options

- TT/DIV/S - 100mm Tray Divider Set (Set of four dividers)
- TT/DIV/D - 150mm Tray Divider Set (Set of four dividers)
- TT/LAB - Coloured Label Strips (Set of 6 sheets)



TTM1/10/3S2D

Item	Description	Overall Dimensions (w x d x h)	Weight
TTM1/10/3S2D	Caretray Trolley - Mild Steel, Standard Level - 3 x 100mm, 2 x 150mm Trays	575 x 575 x 925mm	29kg

Dressing Trolleys - Stainless Steel - Fixed Shelves

Features

- Seamlessly welded 304 grade stainless steel frame
- Fixed shelves with down turned sides
- Shelf heights 380 & 850mm
- Max load per shelf 25kg
- 75mm polypropylene / thermoplastic rubber twin wheel castors
- Dimensions (465 x 465 x 850mm)



DTS/450/FD

Item	Description	Dimensions (w x d x h)	Weight
DTS/450/FD	Stainless Steel - Fixed Shelves	465 x 465 x 850mm	8.5kg

General Purpose Trolley - Wire Shelves

Features

- High-density polyethylene shelves, 70mm raised sides retains spills & prevents items from sliding off during transport
- Microban® product protection inhibits growth of bacteria & aids infection control
- Chrome plated posts offers shelf adjustment in 25mm increments
- 100mm pressed steel castors
- Self-assembly (supplied boxed)
- Wire Shelves - 877 x 616mm (internal) at heights 140 & 800mm (max load per shelf 68kg)
- Overall Dimensions - 997 x 691 x 1067mm



8MW2536-2CW

Item	Description	Dimensions (w x d x h)	Weight
8MW2436-2CW	Wire Shelves	997 x 691 x 1067mm	19.9kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

General Purpose Trolley - Shallow Shelves

Features

- Easy to clean corrosion resistant high density polyethylene shelves (not suitable for use with automated washers)
- 11mm raised edge retains spills & prevents items from sliding off during transport
- Microban® product protection: Inhibits the growth of bacteria & aids infection control
- Ergonomic handle & recessed shelves provide additional legroom allowing you to push the trolley without hitting your shins & feet
- Chrome plated posts offering central shelf adjustment in 25mm increments
- Available with two/three shelves in three sizes
- Trolley - Shelf size 693 x 541mm (internal) at heights 185, 515 & 845mm (lower shelves adjustable)
- Handle has built in recessed support channel to manage odd shaped items
- Maximum capacity per shelf 68kg / per cart 135kg
- 100mm pressed steel castors
- Self assembly (supplied boxed)



8MY2030-24BU



8MY2030-34BU

Item	Description	Dimensions (w x d x h)	Weight
8MY2030-24BU	Two Shallow Shelves	873 x 595 x 900mm	14.9kg
8MY2030-34BU	Three Shallow Shelves	873 x 595 x 900mm	18.8kg

General Purpose Trolley - Deep Shelves

Features

- Easy to clean corrosion resistant high density polyethylene shelves (not suitable for use with automated washers)
- 70mm deep shelves retains spills & prevents items from sliding off during transport
- Microban® product protection: Inhibits the growth of bacteria & aids infection control
- Chrome plated posts offering central shelf adjustment in 25mm increments
- 877 x 616mm (internal) at heights 140, 470 & 800mm (lower shelves adjustable)
- Max capacity per shelf 68kg /per car 136kg
- 100mm pressed steel castors
- Self assembly (supplied boxed)



8BC2636-2DMB

Item	Description	Dimensions (w x d x h)	Weight
8BC2636-2DMB	Deep Shelves	997 x 691 x 1067mm	15.9kg

Patient Seating - Stroud

Features

- Suitable for functional seating areas, conference rooms & events
- Four-leg design
- Vinyl upholstery - Fire retardant & antimicrobial
- Black finish tubular frame
- Stackable 3 high
- Maximum capacity 95kg



5FS/ST/VVMA



5FS/ST/A/VVMA

Item	Description	Seat Height	Back Height	Seat Width	Overall Width	Seat Depth	Overall Depth	Weight
5FS/ST/VVMA	Stroud, Four Leg	500mm	290mm	470mm	530mm	430mm	580mm	6.5kg
5FS/ST/A/VVMA	Stroud, Four Leg, Arm Rests	500mm	290mm	470mm	630mm	430mm	580mm	6.9kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Tech Seating

Features

- Range of ESD (anti-static) tech stools available in two heights…
    - Medium
    - High
- Ring lever mechanism height adjustment (pneumatic)
- Black ESD (anti-static) vinyl
- Aluminium five-star base
- Models…
    - Medium - Non-braking ESD (anti-static) castors
    - High - Foot ring & ESD (anti-static) glides
- Maximum capacity 120kg



5TS/TECS/M



5TS/TECS/H

Item	Description	Seat Height	Overall Width/Depth	Weight
5TS/TECS/M	Tech Stool, Cleanroom, Medium	425 - 550mm	670mm	10kg
5TS/TECS/H	Tech Stool, Cleanroom, High	540 - 790mm	670mm	11kg

Mobile Screen - Solid, Three Section

Features

- Folding solid screens, 4mm thick compact laminate
- Available as either three or four section
- Smooth surface assists cleaning
- 50mm polypropylene / thermoplastic rubber twin-wheel non-marking castors



MS/S3



MS/S4

Item	Description	Overall Dimensions (w x d x h)	Weight
MS/S3	Mobile Screen - Solid, Three Section	1802 x 435 x 1680mm	20.8kg
MS/S4	Mobile Screen - Solid, Four Section	2403 x 435 x 1680mm	27.8kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Examination & Treatment Couch, Two Section, Fixed Height

Features

- Safe working load of 125kg
- Adjustable angle backrest 0 to +90 degrees using a ratchet
- Adjustable feet to allow levelling on uneven floors
- Seamless & contoured upholstery using flame retardant & anti-bacterial vinyl
- Paper roll holder fitted to foot end (suitable for rolls max 510mm wide x 200mm diameter)
- Self-assembly model flat packed making it easier to ship



EC010/VBB

Item	Description	Overall Dimensions (w x d x h)	Weight
EC010/VBB	Examination & Treatment Couch, Two Section, Fixed Height	610 x 1860 x 795mm	29kg

Removable Body Bin - 20 Litre

Features

- Premium range of removable body bins, fire retardant to HTM83
- Radiused corners to assist cleaning
- Captive drip tray to collect spills
- Positive bag retention through the use of a drop over clamp
- ‘Hands free’ design with recessed lid discourages opening by hand & encourage use of the pedal
- Stainless steel pedal & linkages
- Plastic feet to keep the unit clear of the floor
- Wheels fitted to rear of bin assist moving when cleaning



BR015/WHL

Item	Description	Dimensions (w x d x h)	Weight
BR015/WHL	Sackholder - 20 Litre	350 x 220 x 660mm	8.5kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Removable Body Bins - 50 / 75 Litre



BR050/WHL



BR080/WHL

Item	Description	Dimensions (w x d x h)	Weight
BR050/WHL	Sackholder - 50 Litre	444 x 397 x 551mm	11.5kg
BR080/WHL	Sackholder - 75 Litre	444 x 397 x 781mm	15.0kg

Flat Scale - Mobile Use

Features

- NAWI approved class III
- Slip-proof knotted rubber surface
- Functions...
  - Tap-On, Automatic Switch-On
  - Automatic Switch-Off
- Battery powered (6 x AA)
- Graduation 100g < 100kg > 200g
- Capacity 200kg

Dimensions (w x d x h)

- Overall Dimensions - 321 x 356 x 60mm
- Platform Dimensions - 288 x 280 x 60mm

Options / Accessories

- 5SE/415 - Carrying Case



5SE/875

Item	Description	Weight
5SE/875	Flat Scale - Mobile Use	3.9kg

Flat Scale - Mechanical, Large Dial

Features

- NAWI approved class IIII
- Large, easy to read dial
- Extremely robust, precise & reliable
- Corrosion resistant inside & outside
- Slip-proof knotted rubber surface
- Graduation 1kg
- Capacity 150kg

Dimensions (w x d x h)

- Overall Dimensions - 303 x 470 x 118 mm
- Platform Dimensions - 270 x 280 x 70mm



Clip fixation system for easy rubber mat exchange



5SE/761

Item	Description	Weight
5SE/761	Flat Scale -Mechanical, Large Dial	3.5kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Multifunctional Scale - EMR-Validated

Features

- Allows safe weighing of standing, sitting or wheelchair patients
- Handrail on three sides offers holding options, serving as an ideal standing aid
- Large platform with non-slip surface
- Ramp ensures safe access onto the weighing platform
- Wheel barrier provides extra safety
- Fold down seat allows for seated weighing
- 360° swivel display for easy reading
- Mobile due to integrated transport wheels
- Impact & scratch-resistant powder coating
- EMR-validated, transmits measured data directly to an electronic medical record system or printer
- RS232 interface for integration with Renal Systems
- Wide range of functions...
    - TARE
    - Pre-TARE
    - HOLD
    - Auto-HOLD
    - Auto-CLEAR
    - RESET
    - Automatic Weighing Range Switch-Over
    - Adjustable Damping
    - BMI
- Power adaptor
- Graduation 100g < 200kg > 200g
- Capacity 300kg

Dimensions (w x d x h)

- Overall Dimensions - 930 x 1070 x 1110mm
- Platform Dimensions - 800 x 840 x 55mm



5SE/685

Item	Description	Weight
5SE/685	Multifunctional Scale	59.5kg

Cerner Epic EMR

Wheelchair Scale - EMR-Validated, Handrail

Features

- Wheelchair accessible platform
- Large platform with non-slip surface
- Handrail at rear serves as an ideal standing aid
- Foldable to save space
- Easy to read display
- Mobile due to transport wheels
- Impact & scratch-resistant powder coating
- EMR-validated, transmits measured data directly to an electronic medical record system or printer
- RS232 interface for integration with Renal Systems
- Wide range of functions...
  - TARE
  - Pre-TARE
  - HOLD
  - Auto-HOLD
  - Auto-CLEAR
  - RESET
  - Automatic Weighing Range Switch-Over
  - Adjustable Damping
  - BMI
- Power adaptor
- Graduation 100g < 200kg > 200g
- Capacity 300kg

Dimensions (w x d x h)

- Overall Dimensions - 920 x 1150 x 1120mm
- Platform Dimensions - 800 x 965 x 55mm



5SE/677

Item	Description	Weight
5SE/677	Wheelchair Scale - EMR-Validated, Handrail	38.0kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Chair Scale - EMR-Validated

Features

- Fold-up arms & footrests allows side access for patients & care givers
- Ergonomic seat for increased patient comfort
- Suitable for patients affected by obesity
- Display positioned at the rear of the seat allows for easy reading
- Impact & scratch-resistant powder coating
- 100mm pressed steel castors, 2 off braking
- EMR-validated, transmits measured data directly to an electronic medical record system or printer
- Wide range of functions...
  - TARE
  - Pre-TARE
  - HOLD
  - Auto-HOLD
  - Auto-CLEAR
  - RESET
  - Automatic Switch-Off
  - Automatic Weighing Range Switch-Over
  - Adjustable Damping
  - BMI
- Rechargeable batteries / power adaptor
- Graduation 50g < 150kg > 100g < 250kg > 200g
- Capacity 300kg

Dimensions (w x d x h)

- *Overall* Dimensions - 563 x 978 x 897mm
- Seat Height - 528mm
- Seat Width - 455mm



5SE/959

Item	Description	Weight
5SE/959	Chair Scale - EMR-Validated	24.5kg

Cerner Epic EMR

Chair Scale - 200kg Capacity

Features

- Fold-up arms & footrests allows side access for patients & care givers
- Ergonomic seat for increased patient comfort
- Display positioned at the rear of the seat allows for easy reading
- Impact & scratch-resistant powder coating
- 100mm pressed steel castors, 2 off braking
- Wide range of functions...
  - TARE
  - HOLD
  - Automatic Switch-Off
- Battery powered (6 x AA)
- Graduation 100g
- Capacity 200kg

Dimensions (w x d x h)

- Overall Dimensions - 563 x 978 x 897mm
- Seat Height - 528mm
- Seat Width - 455mm



5SE/956

Item	Description	Weight
5SE/956	Chair Scale - 200kg Capacity	22.4kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Chair Scale - 250kg Capacity

Features

- Fold-up arms & footrests allows side access for patients & care givers
- Ergonomic seat for increased patient comfort
- Display positioned at the rear of the seat allows for easy reading
- Impact & scratch-resistant powder coating
- 100mm pressed steel castors, 2 off braking
- Wide range of functions...
  - TARE
  - Pre-TARE
  - HOLD
  - Auto-HOLD
  - Auto-CLEAR
  - Adjustable Damping
  - BMI
- Rechargeable batteries / power adaptor
- Graduation 50g < 150kg > 100g
- Capacity 250kg

Dimensions (w x d x h)

- Overall Dimensions - 563 x 978 x 897mm
- Seat Height - 528mm
- Seat Width - 455mm





5SE/955

Item	Description	Weight
5SE/955	Chair Scale - 250kg Capacity	24.5kg

Passive Lift - Oxford® Advance

Features

- Exceptionally versatile & easy to manoeuvre
- Ergonomic design considerations & interaction points
- Compact triangular folding design for easy transport & storage
- Smart™ Monitor diagnostic & service controls as standard
- Interchangeable spreader bar / cradle options
- Safe working load 155kg

Dimensions (w x d x h)

- Overall Dimensions (Max) - 1080 x 1300 x 1860mm
- Overall Dimensions (Min) - 670 x 1250 x 1360mm

Standard Colours

- Grey / Periwinkle

Options / Accessories

- 5OX/AC/SPC/4 - Oxford® 4-Point Positioning Cradle, Shallow, Manual



5OX/PL/AD

Item	Description	Weight
5OX/PL/AD	Passive Lift - Oxford® Advance	31.7kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Passive Lift - Oxford® Presence

Features

- Outstanding lifting range (430mm - 1910mm)
- Ergonomic design considerations & interaction points
- Powered leg positioning
- Smart™ Monitor diagnostic & service controls as standard
- Interchangeable spreader bar / cradle & weigh-scale options
- Safe working load 227kg

Dimensions (w x d x h)

- Overall Dimensions (Max) - 1150 x 1460 x 2065mm
- Overall Dimensions (Min) - 670 x 1400 x 1460mm

Standard Colours

- Grey / Periwinkle

Options / Accessories

- 5OX/SBC/4 - Oxford® 4-Point Positioning Cradle, Manual
- 5OX/AC/PPC/4 - Oxford® 4-Point Positioning Cradle, Powered
- 5OX/AC/SAC - Oxford® Stretcher Adjustment Cradle
- 5OX/AS/CS - Oxford® Canvas Stretcher
- 5OX/WS/100 - Oxford® Digital Weigh Scale, 4-Point Cradle, Manual
- 5OX/WS/101 - Oxford® Digital Weigh Scale, 6-Point Spreader Bar, Manual
- 5OX/WS/102 - Oxford® Digital Weigh Scale, 4-Point Cradle, Powered



5OX/PL/AD/PR

Item	Description	Weight
5OX/PL/AD/PR	Passive Lift - Oxford® Presence	40.0kg

Oxford® Full Back Disposable Slings

Features

- Integrated, boned head support & leg padding as standard
- Coloured attachment loops promote correct / safe positioning
- Modesty loop helps protect patient dignity during transfer
- Available in extra small, small, medium, large & extra-large, colour coded binding indicates sling size
- Safe working load 227kg



5OX/PH/FBD/ME

Item	Description
5OX/PH/FBD/XS	Oxford® Full Back Disposable Sling - Extra Small (Brown)
5OX/PH/FBD/SM	Oxford® Full Back Disposable Sling - Small (Red)
5OX/PH/FBD/ME	Oxford® Full Back Disposable Sling - Medium (Yellow)
5OX/PH/FBD/LG	Oxford® Full Back Disposable Sling - Large (Green)
5OX/PH/FBD/XL	Oxford® Full Back Disposable Sling - Extra Large (Blue)

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Oxford® Comfort Disposable Slings

Features

- Patented Securi3 clip attachment points
- Modesty loop helps protect patient dignity during transfer
- Available in extra small, small, medium, large & extra-large, colour coded binding indicates sling size
- Safe working load 227kg



5OX/PH/CD/ME

Item	Description
5OX/PH/CD/XS	Oxford® Comfort Disposable Sling - Extra Small (Brown)
5OX/PH/CD/SM	Oxford® Comfort Disposable Sling - Small (Red)
5OX/PH/CD/ME	Oxford® Comfort Disposable Sling - Medium (Yellow)
5OX/PH/CD/LG	Oxford® Comfort Disposable Sling - Large (Green)
5OX/PH/CD/XL	Oxford® Comfort Disposable Sling - Extra Large (Blue)

Active Stand Aid - Oxford® Switch

Features

- Versatile & easy to manoeuvre
- Easy to transport & store
- Ergonomic design considerations & interaction points
- Adjustable knee pads & optional padded knee covers
- Optional belts for additional support
- Safe working load 180kg

Dimensions (w x d x h)

- Overall Dimensions - 550 x 670 x 1170mm

Standard Colours

- Grey / Periwinkle

Options / Accessories

- 5OX/SL3151 - Oxford® Patient Handling Belt - Small (Red)
- 5OX/SL3152 - Oxford® Patient Handling Belt - Medium (Yellow)
- 5OX/SL3153 - Oxford® Patient Handling Belt - Large (Green)
- 5OX/AC/PKC - Oxford® Padded Knee Covers



5OX/AC/PKC - Optional Padded Knee Covers



Even weight distribution ensures excellent stability and manoeuvrability



5OX/AS/SW

Item	Description	Weight
5OX/AAS/SW	Active Stand Aid - Oxford® Switch	16.0kg

Free delivery England & Wales Mainland on orders over £175.00 (exc VAT). 48 hour delivery at additional cost

Active Stand Aid - Oxford® Up

Features

- Disassembles for easy storage & transportation
- Adjustable leg opening for access around furniture
- Contoured swing-away seat pads
- Ergonomic design considerations & interaction points
- Compatible sling offers additional support
- Safe working load 200kg

Dimensions (w x d x h)

- Overall Dimensions (Max) - 845 x 950 x 1100mm
- Overall Dimensions (Min) - 630 x 950 x 1100mm

Standard Colours

- Grey / Periwinkle



Disassembles for easy storage



5OX/AS/UP

Item	Description	Weight
5OX/AS/UP	Active Stand Aid - Oxford® Up	33.0kg

PHARMACY EQUIPMENT Direct™

Hospital Metalcraft™ Limited







Pharmacy Equipment Direct,
Hospital Metalcraft Ltd,
Blandford Heights
Blandford Forum, Dorset, DT11 7TG,
UK

sales@pharmacyequipmentdirect.com

+44(0)1258 484488

www.pharmacyequipmentdirect.com